

What is claimed is:

1. (currently amended) An information processing apparatus comprising means for creating a digest of a document a layout of which is determined, when said layout being too large to fit in a display screen of a display device or when a document reader requires said document to be zoomed for reading characters displayed on the display device, the document including a plurality of regions, each region including one or more display elements, the means for creating comprising:

means for selecting the display elements based on display priorities of the display elements, and for deciding all of selected display elements as a display content of a digest screen under a condition where a total display area of all of the selected display elements does not exceed a required display area; ~~and~~

means for setting a merging relationship among the regions by deciding a merging region, with which a region not being displayed on the digest screen is merged, from among regions displayed on the digest screen based on layout information for the regions in the document, all of the regions being included in the document; and

means for ensuring access to information lost by creating the digest and ensuring said digest fits optimally on said display device.

2. (Original) The information processing apparatus according to claim 1, further comprising means for deciding, as a display content of a detail screen, a region group including the regions displayed on the digest screen and the region merged with the displayed regions in response to that a detail display of the displayed regions is required.

3. (Original) The information processing apparatus according to claim 2, further comprising means for creating control information for controlling a display of the detail screen, wherein the means for deciding the display content of the detail screen creates a digest of the detail screen based on the control information when the region group is too large to fit in the required display area.

1 4. (Original) The information processing apparatus according to claim 1, wherein the means for  
2 deciding the display content of the digest screen further includes means for changing the display  
3 content of the digest screen based on an operation of a user.

4 5. (Original) The information processing apparatus according to claim 4, wherein the changing  
5 means includes means for automatically changing the display content of the digest screen,  
6 accompanying the operation of the user.

7 6. (currently amended) ~~A~~ An information processing system server for creating a digest of a  
8 document a layout of which is determined, the system server comprising means for transmitting  
9 ~~information for creating the digest of the document the layout of which is determined to a client~~  
10 ~~terminal together with the document, the server further comprising:~~

11 a proxy server including:

12 \_\_\_\_\_ digest screen display priority information creating means, for executing program code  
13 recorded in a storage device, for obtaining display priorities of display elements based on  
14 attributes of display elements belonging to each region of an inputted Web page formed of a  
15 plurality of regions, for preparing information concerning display priorities, and for dividing an  
16 HTML document of the inputted Web page into said regions of semantic clusters, and for  
17 impacting a significance forming a display priority for each of the regions, and

18 \_\_\_\_\_ a digest screen region layout information creating means 42 for executing program code  
19 recorded in the storage device to create layout information for the regions, utilized when setting a  
20 merging relationship between a display area and a non-display area on a digest screen in  
21 accordance with a predetermined rule for ensuring access to the non-display area by a user;

22 information processing apparatus including digest screen display content deciding means for  
23 executing program code recorded in the storage device to select display elements based on the  
24 display priorities of the display elements, and to decide all selected display elements as display

1 content of applicants respectfully state digest screen under a condition where a total display area  
2 of all of the selected display elements does not exceed a required display area, comprising digest  
3 screen display content changing means 48 to change display content of the digest screen based on  
4 operations of the user;

5 digest screen region merging relationship setting means for executing program code recorded in  
6 the storage device to decide, after the display content of the digest screen is determined, a  
7 merging region, with which any region that is not displayed on the digest screen at all is merged,  
8 from among the regions displayed on the digest screen, and utilize layout information for the  
9 regions, created by the digest screen region layout information creating means ;

10 detail screen display content deciding means for executing program code recorded in the storage  
11 device to decide, as a display content of the detail screen, a region group formed of regions  
12 displayed on the digest screen and merged regions merged with the displayed regions in response  
13 to that a detail display of the displayed regions is required, and referring to the merging  
14 relationship among the regions set by the digest screen region merging relationship setting means ,  
15 and when the regions cannot be fitted within an acceptable display area selects display elements  
16 based on the display priorities obtained by detail screen display priority information creating  
17 means , thus creating the digest of the detail screen and setting the merging relationship among  
18 the regions on the detail screen by employing detail screen region layout information creating  
19 means and detail screen region merging relationship setting means ; and

20 control information creating means comprising:

21 \_\_\_\_\_ detail screen display priority information creating means for executing program code  
22 recorded in the storage device performing the function of said digest screen display priority  
23 information creating means for different target display elements,

24 \_\_\_\_\_ detail screen region layout information creating means for executing program code  
25 recorded in the storage device performing function of the digest screen region layout information  
26 creating means for said different target display elements,

detail screen region merging relationship setting means for executing program code  
recorded in the storage device performing functions of the digest screen region merging  
relationship setting means for said different target display elements  
~~—— means for obtaining display priorities of a plurality of display elements belonging to each~~  
~~of regions of the document based on attributes of the display elements; and~~  
~~—— means for creating layout information for the regions in the document.~~

7. (currently amended) The ~~server~~ system according to claim 6,

wherein the operation of the user comprises operations performed directly for the digest screen  
and performed indirectly for the detail screen,

wherein changes of the digest screen consist of any combinations of changes taken from a group  
of changes consisting of:

- enlargement of a specific region,
- reduction of a specific region,
- deletion of a specific region,
- display of a specific invisible region, and
- selection of a specific region;

wherein said display area is a display area required directly by a user or indirectly by the  
information processing apparatus;

wherein a particular region having low priority is not displayed on the digest screen, and further  
comprises merging said particular region with another display region in accordance with a  
predetermined rule for the purpose of ensuring accesses to the particular region by the user.

wherein regions displayed on the digest screen include display elements displayed on the digest screen referred to as “visible regions,” and regions not displayed on the digest screen referred to as “invisible regions”; and

wherein merging relationship of invisible regions merged with the other regions are referred to as “merged regions,” and merging relationship of visible regions that merge the merged regions are referred to as “merging regions”

~~wherein the means for obtaining the display priorities further comprises~~

~~means for arraying, for each of the regions, the display elements belonging to the regions in accordance with a predetermined criterion;~~

~~means for obtaining a ratio of a cumulative length of each of the arrayed display elements in each of the regions by dividing the cumulative length by a total length of the region; and~~

~~means for dividing the ratio of the cumulative length by a significance of the region to which the display element belongs, the ratio having been obtained for each of the display elements.~~

8. (Currently amended) A method comprising creating a digest of a document a layout of which is determined, when said layout being too large to fit in a display screen of a display device or when a document reader requires said document to be zoomed for reading characters displayed on the display device, the document including a plurality of regions, each region including one or more display elements, the step of creating comprising the steps of:

selecting the display elements based on display priorities of the display elements, and for deciding all of selected display elements as a display content of a digest screen under a condition where a total display area of all of the selected display elements does not exceed a required display area; ~~and~~

setting a merging relationship among the regions by deciding a merging region, with which a region not being displayed on the digest screen is merged, from among regions displayed on the digest screen based on layout information for the regions in the document, all of the regions being included in the document; and

1 ensuring access to information lost by creating the digest and ensuring said digest fits  
2 optimally on said display device.

3 9. (Original) The method according to claim 8, further comprising the step of deciding, as a  
4 display content of a detail screen, a region group including the regions displayed on the digest  
5 screen and the region merged with the displayed regions in response to that a detail display of the  
6 displayed regions is required.

7 10. (Original) The method according to claim 9, further comprising the steps of: creating control  
8 information for controlling a display of the detail screen; and creating a digest of the detail screen  
9 based on the control information when the region group is too large to fit in the required display  
10 area.

11 11. (Original) The method according to claim 8, further comprising the step of changing the  
12 display content of the digest screen based on an operation of a user.

13 12. (currently amended) A program comprising code for creating a digest of a document a layout  
14 of which is determined, when said layout being too large to fit in a display screen of a display  
15 device or when a document reader requires said document to be zoomed for reading characters  
16 displayed on the display device, the document including a plurality of regions, each region  
17 including one or more display elements, the program allowing a computer to realize:

18 a function to select the display elements based on display priorities of the display elements,  
19 and to decide all of selected display elements as a display content of a digest screen under a  
20 condition where a total display area of all of the selected display elements does not exceed a  
21 required display area; and

22 a function to set a merging relationship among the regions by deciding a merging region,  
23 with which a region not being displayed on the digest screen is merged, from among regions  
24 displayed on the digest screen based on layout information for the regions in the document, all of  
25 the regions being included in the document; and

1        a function to ensure access to information lost by creating the digest and ensuring said  
2        digest fits optimally on said display device.

3        13. (Original) The program according to claim 12, wherein the program further allows the  
4        computer to realize a function to decide, as a display content of a detail screen, a region group  
5        including the regions displayed on the digest screen and the region merged with the displayed  
6        regions in response to that a detail display of the displayed regions is required.

7        14. (Original) The program according to claim 13, wherein the program further allows the  
8        computer to realize: a function to create control information for controlling a display of the detail  
9        screen; and a function to create a digest of the detail screen based on the control information  
10       when the region group is too large to fit in the required display area.

11       15. (Original) The program according to claim 12, wherein the program further allows the  
12       computer to realize a function to change the display content of the digest screen based on an  
13       operation of a user.

14       16. (Original) A computer program product comprising a computer usable medium having  
15       computer readable program code means embodied therein for causing creation of a digest of a  
16       document a layout of which is determined, the computer readable program code means in said  
17       computer program product comprising computer readable program code means for causing a  
18       computer to effect the functions of claim 1.

19       17. (Original) A computer program product comprising a computer usable medium having  
20       computer readable program code means embodied therein for causing creation of a digest of a  
21       document a layout of which is determined, the computer readable program code means in said  
22       computer program product comprising computer readable program code means for causing a  
23       computer to effect the functions of claim 6.

1 18. (Original) An article of manufacture comprising a computer usable medium having computer  
2 readable program code means embodied therein for causing creation of a digest of a document a  
3 layout of which is determined, the computer readable program code means in said article of  
4 manufacture comprising computer readable program code means for causing a computer to effect  
5 the steps of claim 8.

6 19. (previously presented) A program storage device readable by machine, tangibly embodying a  
7 program of instructions executable by the machine to perform method steps for creating a digest  
8 of a document a layout of which is determined, said method steps comprising the steps of claim 8.

9 20. (Previously presented) The information processing apparatus according to claim 1, further  
10 comprising at least one limitation taken from a group of limitations consisting of:

11 means for deciding, as a display content of a detail screen, a region group including regions  
12 displayed on a digest screen and a region merged with displayed regions in response to a detail  
13 display of the displayed regions is required;

14 means for creating control information for controlling a display of the detail screen, wherein the  
15 means for deciding the display content of the detail screen creates a digest of the detail screen  
16 based on the control information when the region group is too large to fit in the required display  
17 area;

18 wherein the means for deciding the display content of the digest screen further includes means for  
19 changing the display content of the digest screen based on an operation of a user;

20 wherein the changing means includes means for automatically changing the display content of the  
21 digest screen, accompanying the operation of the user;

22 means for transmitting information for creating the digest of the document the layout of which is  
23 determined to a client terminal together with the document;



- 1 means for obtaining display priorities of a plurality of display elements belonging to each of a
- 2 plurality of regions of the document based on attributes of the display elements;
- 3 means for creating layout information for the regions in the document; and
- 4 wherein the means for obtaining the display priorities further comprises:
  - 5 means for arraying, for each of the regions, the display elements belonging to the regions
  - 6 in accordance with a predetermined criterion,
  - 7 means for obtaining a ratio of a cumulative length of each of the arrayed display elements
  - 8 in each of the regions by dividing the cumulative length by a total length of the region, and
  - 9 means for dividing the ratio of the cumulative length by a significance of the region to
  - 10 which the display element belongs, the ratio having been obtained for each of the display
  - 11 elements.